



**Topco Oilsite Products Ltd.  
Pulsation Dampener/Stabilizer Specification Sheet**

Date: \_\_\_\_\_ Contact: \_\_\_\_\_ E-mail Address: \_\_\_\_\_

Customer: \_\_\_\_\_ Phone: \_\_\_\_\_ Fax: \_\_\_\_\_

**SYSTEM SPECIFICATION**

Pump Make: \_\_\_\_\_ Model: \_\_\_\_\_ Bore: \_\_\_\_\_ Stroke: \_\_\_\_\_

Simplex  Duplex  Triplex  Quintuplex  Single  Double Acting

Suction Pressure \_\_\_\_\_ Discharge Pressure \_\_\_\_\_ GPM \_\_\_\_\_ RPM \_\_\_\_\_

Discharge Flange Size \_\_\_\_\_ Suction Flange Size \_\_\_\_\_

Fluid Being Pumped \_\_\_\_\_ Temperature \_\_\_\_\_ °F \_\_\_\_\_ °C

Are any of the following required?

CRN	<input type="checkbox"/> Yes	<input type="checkbox"/> No	Province _____
X-Ray	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
MPI	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Hydrostatic Testing	<input type="checkbox"/> Yes	<input type="checkbox"/> No	

**TO BE COMPLETED BY TOPCO OILSITE  
PULSATION DAMPENER/STABILIZER**

Bladder/Sleeve/Cartridge Material \_\_\_\_\_

Kote Wetted Parts: Yes  No

Pre-charge Hose Assembly: Yes  No  Part Number: \_\_\_\_\_ Price: \$ \_\_\_\_\_

Make (suction): \_\_\_\_\_ Model: \_\_\_\_\_ Price: \$ \_\_\_\_\_

Make (discharge): \_\_\_\_\_ Model: \_\_\_\_\_ Price: \$ \_\_\_\_\_

Discount % \_\_\_\_\_ GST: In  Out  Amount: \$ \_\_\_\_\_

F.O.B. \_\_\_\_\_ Delivery: \_\_\_\_\_

Date Required: \_\_\_\_\_ Customer P.O. \_\_\_\_\_

Miscellaneous Remarks: \_\_\_\_\_

Prepared By: \_\_\_\_\_ Date: \_\_\_\_\_

E-Mail Address: \_\_\_\_\_